

Patient Name : **Ms. DIVYA BHATNAGAR**  
Age & Sex : 60 Years / F  
Ref. Doctor : SELF

Received on : 16/02/2025  
Reported on : 17/02/2025  
Serial No : **012502160161**

### Truenat® MTB

|         |                  |             |                       |        |        |
|---------|------------------|-------------|-----------------------|--------|--------|
| Center  | ARTH DIAGNOSTICS | Operator    | Arth                  | Bay    | 1      |
| Profile | MTB              | Date        | Mon 17 Feb 2025 13:21 |        |        |
| Lot     | TB264            | Expiry Date | 04-26                 | Sample | Sputum |

#### Patient Details


|      |                    |        |        |              |      |
|------|--------------------|--------|--------|--------------|------|
| Name | Ms.DIVYA BHATNAGAR |        | ID     | 012502160161 |      |
| Age  | 60                 | Gender | Female | Referred By  | SELF |

**Result** **Not Detected**

|                        |      |     |    |
|------------------------|------|-----|----|
| Control C <sub>t</sub> | 28.8 | MTB | ND |
|------------------------|------|-----|----|

**Run Status** **Valid**

**MTB** **NOT DETECTED**



This report is for the perusal of doctor only. Not for medico legal cases. Clinical correlation is essential. Please contact us in case of unexpected result.

